

# BattMan Lite



Product code: 70405060

Battery monitor, 12/24 V DC with large, splash proof display (IP65) and power bar.

An affordable battery monitor that does exactly that: providing critical information about the status of your battery bank under all circumstances. Moreover it will warn you when your battery bank is empty.

# Specifications

## General specifications

Number of battery outlets	2; service (fully), starter (voltage)
Display/read-out	voltage, current, amp-hours, battery capacity in %
Languages on display	universal
Built-in depth	72.5 mm
	2.9 inch
Dimensions	Ø 64 mm, depth 79 mm
Dimensions shunt, hwxwd	87 x 45 x 35 mm
	3.4 x 1.8 x 1.4 inch
Weight	0.15 kg
	0.3 lb

## Technical specifications

Max. Ah capacity	9999 Ah
Supply voltage	9-35 V
Voltage range	0-35 V
Current consumption (backlight off)	8 mA/12 V, 6 mA/24 V
Current consumption (backlight on)	30 mA/12 V, 18 mA/24 V
Voltage resolution	0.1 V
Voltage accuracy	± 0.3%
Shunt specification	500 A/50 mV (service set)
Current measurement range	0-500 A
Current accuracy	± 0,4 %
Battery alarm contact	yes, potential free
Remaining time indication	no
Historical data	no
MasterBus compatible	no
Connection cable (6-wire) necessary	yes
Modular cable necessary	no